

DISPLAY RULES


SHELL SCHEME (IN-LINE) BOOTH (Min 9sqm)

- Arranged in a straight line
- Has neighbors on either side (in-line)
- One side exposed to aisle (in-line)
- Two sides exposed to aisle (corner)
- Maximum back wall height is 2.5m
- Hanging signs are not permitted
- Shell scheme framework cannot be removed




RAW SPACE (IN-LINE) BOOTH (Min 18sqm)

- Arranged in a straight line, or back-to-back with a neighbor (a 36 sqm island split into two 18sqm booths)
- Has neighbors on either side
- One side exposed to aisle (in-line)
- Two or three sides exposed to aisle (corner)
- Maximum back wall height is 2.5 meters, can go up to 4 m with show management permission
- Design must include a solid wall separating booth from adjacent booth. Wall must measure complete length of the booth and be 2.5m high (can go up to 4m with show management permission)
- Back wall must be cleanly “finished” and painted.
- Hanging signs are not permitted
- All raw space booth plans must be approved by show management.



ISLAND BOOTHS

- Any size booth exposed to aisles on all four sides
- Hanging Signs permitted. Rigging must be completed by official contractor.
- The entire cubic content of the space may be used up to the maximum allowable height, which is 4 meters, or 6 meters with Show Management's approval including signage
- All raw space booth plans must be approved by show management. Please send all schematics with elevations/ materials used to mroeuropa@abraxys.com by 2nd September 2022 if you have complex stand or by 26th September if you have a non-complex stand.
- Additional approvals and guidelines may be required by the venue.



General Decorating Guidelines

- Any portion of a display that extends above or beyond that of the booth adjoining to the rear or side must be finished with paint or drape at the Exhibitor's expense. Any portion of an Exhibitor's booth facing an aisle must be finished.
- Drip pans and scrap buckets should be provided for operating machinery to prevent lubricants, paints, etc., from staining the floor causing a slippage hazard.
- Painting may be done inside the exhibit hall as long as drop cloths are used to prevent any damage to the building. No spray painting is permitted inside the exhibit halls. Spray painting may be done outside as long as drop cloths are used to prevent any damage to sidewalk, dock, grass, buildings, etc.
- Paint must be removed nightly, and all cans must be tightly closed to prevent their contents from staining the floor, causing a slippage hazard, and tracking of paint, etc., over another Exhibitor's carpet.
- Exhibitors are liable for any damage they cause (or third party authorized by them) to the walls, floors, columns, doors, windows, etc., during the installation, operating and dismantling of their exhibits.

Towers (free-standing exhibit component separate from the main exhibit fixture)

- Height restriction is the same as applies to the exhibit space configuration

Lighting

- Exhibitors must adhere to the following suggested minimum guidelines when determining booth lighting:
 - o No lighting, fixtures, lighting trusses, or overhead lighting are allowed outside the boundaries of the exhibit space. Exhibitors intending to use hanging light systems must submit drawings to exhibition management for approval.
 - o Lighting, including gobos, must be directed to the inner confines of the booth space. Lighting should not project onto other exhibits or exhibition aisles.
 - o Lighting which is potentially harmful, such as lasers or ultraviolet lighting, must comply with facility rules and be approved in writing by exhibition management.
 - o Lighting that spins, rotates, pulsates, and other specialized lighting effects must be in good taste and not interfere with neighboring Exhibitors or otherwise detract from the general atmosphere of the event.
 - o Currently some convention facilities are not allowing quartz halogen lighting fixtures in exhibits due to potential fire hazards. Check with exhibition management.
 - o Reduced lighting for theater areas must be approved by the exhibition organizer, the utility provider, and the exhibit facility.

Carpeting

- The use of carpeting or another professional floor covering is required by each Exhibitor. These floor coverings must not be sealed to the floors in such a manner as to injure the floor or be so installed as to be a hazard to public safety or as to endanger the public. Exhibitors are responsible for the final condition of the floor in their space. The edges of raised flooring may be inclined, providing the slope is gradual and gentle.
- If an exhibitor sets his booth without floor covering, carpet will be ordered at the exhibitor's expense.

Structural Integrity

All exhibit displays should be designed and erected in a manner that will withstand normal contact or vibration caused by neighboring exhibitors, hall laborers, or installation/dismantling equipment, such as forklifts. Displays should also be able to withstand moderate wind effects that may occur in the exhibit hall when freight doors are open. Refer to local building codes that regulate temporary structures.

Flammable and Toxic Materials

All materials used in display construction or decorating should be made of fire retardant materials and be certified as flame retardant. Samples should also be available for testing. Materials that cannot be treated to meet the requirements should not be used. A flame-proofing certificate should be available for inspection. Exhibitors should be aware of local regulations regarding fire/safety and environment which must be adhered to.

Exhibitors should dispose of any waste products they generate during the exhibition in accordance with guidelines established by the Environmental Protection Agency and the facility.

Storage

Fire regulations in most exhibit facilities prohibit storing product, literature, empty packing containers, or packing materials behind back drapes or under draped tables. In most cases,



however, exhibitors may store a limited supply of literature or product appropriately within the booth area, so long as these items do not impede access to utility services, create a safety problem, or look unsightly.